




ORACLE LED

S Y S T E M S



BLACK WIDOW **HD** **SERIES**

UNIVERSAL POWER/DATA/RIGGING/PROCESSING



GREEN



LIGHT WEIGHT



RUGGED




REMOVABLE FROM CENTER



POWERCON / ETHERCON



INTEGRATED LADDER



CONVEX & CONCAVED
(EXCLUSIVE TO 9MM AND 15MM)



REMOVABLE MODULES
AND POWER SUPPLIES



FRAMELESS FLEX KIT



CREATIVE RIGGING OPTIONS



DUAL USE
HEADER/GROUND SUPPORT



DUAL USE
HEADER/GROUND SUPPORT






BLACK WIDOW **HD** SERIES

UNIVERSAL POWER/DATA/RIGGING/PROCESSING



ORACLE LED

S Y S T E M S



HD5 INDOOR BLACK FACE LED
1500 NITS, IP45

HD6 INDOOR/OUTDOOR
6000 NIT, IP65

HD9 INDOOR/OUTDOOR
7000 NIT, IP65. CURVABLE

HD15 INDOOR/OUTDOOR
5500 NIT, IP65 CURVABLE

PITCH	5.7MM	6MM	9.7MM	15.5 MM
LED TYPE	3-IN1 BLACK FACE	3535 3-IN1 SMD	3535 3-IN1 SMD	3535 3-IN1 SMD
NUMBER OF PIXELS	108 X 108 PX	104 X 104 PX	64 X 64 PX	40 X 40 PX
TILE DIMENSION	2.04' x 2.04' x 6"	2.04' x 2.04' x 6"	2.04' x 2.04' x 6"	2.04' x 2.04' x 6"
BRIGHTNESS	≥1500 Nits	≥6000cds/m ²	≥7000cds/m ²	≥6000cds/m ²
AC POWER IN	AC100~240V 50~60HZ	AC100~240V 50~60HZ	AC100~240V 50~60HZ	AC100~240V 50~60HZ
POWER CONSUMPTION	600 w/m ²	900 w/m ²	900 w/m ²	900 w/m ²
WEIGHT/TILE	31 LBS	31 LBS	31 LBS	31 LBS
CURVE	N/A IN FRAME	1N/A IN FRAME	15° PER CONNECTION	15° PER CONNECTION
REFRESH RATE	2200HZ	1600HZ	1600HZ	1600HZ
IP RATING	45	65	65	65
VIEWING ANGLE	140/160°	130/160°	130/160°	130/160°
LIFETIME (HRS)	100,000 HRS	100,000 HRS	100,000 HRS	100,000 HRS

ALL SPECIFICATIONS LIABLE TO CHANGE AND SHOULD BE CONFIRMED AT POINT OF ORDER.

SALES@ORACLELEDSYSTEMS.COM

NORTH AMERICA +1 323 451 1533

WWW.ORACLELEDSYSTEMS.COM

COPYRIGHT © 2013, ORACLE LED SYSTEMS, INC. ALL RIGHTS RESERVED. PATENTS PENDING WORLDWIDE. THE ORACLE LED LOGO, BLACK WIDOW™, ARE TRADEMARKS OF ORACLE LED SYSTEMS, INC. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



ORACLE LED
S Y S T E M S

OUR RENTAL NETWORK



SALES@ORACLELEDSYSTEMS.COM

NORTH AMERICA +1 323 451 1533

WWW.ORACLELEDSYSTEMS.COM

COPYRIGHT © 2013, ORACLE LED SYSTEMS, INC. ALL RIGHTS RESERVED. PATENTS PENDING WORLDWIDE. THE ORACLE LED LOGO, BLACK WIDOW™, ARE TRADEMARKS OF ORACLE LED SYSTEMS, INC. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.